

BEST AVAILABLE COPY



FORM PTO-1449 (Modified)				Attorney Docket No.: 015280-415100US Application No.: 09/810,310			: 09/810,310
LIST OF PATENTS AND PUBLICATIONS FOR				Applicant: Samir Khleif et al.			
APPLICANT'S INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)				Filing Date: March 14, 2001		Group: 1644	
Reference	Design	ation	Ì	J.S. PATENT DOCUMENT	rs .		Page 1 of 1
Examiner Document No. Date			Date	Name	Class	Sub-class	Filing Date (If Appropriate)
	AA:	4,599,230	July 8, 1986	Milich et al.		A STATE OF THE PERSON AND PROPERTY AND PROPE	
	AB.	4,599,231	July 8, 1986	Milich et-al.			
	AC.	5,861,310	Jan.19, 1999	Freeman et al.	en framen		
	AD.	5,866,553	Feb. 2, 1999	Donnelly et al.			
	AE.	5,942,607	Aug. 24, 1999	Freeman et al.	and the state of t		
			FOF	EIGN PATENT DOCUME	ENTS		
	-	Document No.	Date	Country	Class	Sub-class	Translation (Yes/No)
M	AF.	90/11092	Oct. 4, 1990	wo	-		
		OT	THER ART (Incl.	uding Author, Title, Date, P	ertinent Pages, E	tc.)	
hr(AG. Acsadi et al., "Human dystrophin expression in mdx mice after intramuscular injection of DNA constructs," Nature 352:815-818 (1991)					onstructs,"	
W)	AH.	Aichele et al., "Antiviral cytotoxic T cell response induced by in vivo priming with a free synthetic peptide," J. Exp. Med. 171:1815-1820 (1990)					
E	AI.	Armitage et al., "Molecular and biological characterization of a murine ligand for CD40," Nature 357:80-82 (1992)					
2	AJ.	Azuma et al., "B70 antigen is a second ligand for CTLA-4 and CD28," Nature 366:76-79 (1993)					
8	AK.	Baskar et al., "Constitutive expression of B7 restores immunogenicity of tumor cells expressing truncated major histocompatibility complex class II molecules," Proc. Natl. Acad. Sci. USA 90:5687-5690 (1993)					
6	AL.	Bleijs et al., "Co-stimulation of T cells results in distinct IL-10 and TNF-α cytokine profiles dependent on binding to ICAM-1, ICAM-2 or ICAM-3," Eur. J. Immunol. 29:2248-2258 (1999)					
8	AM.	Boon, T., "Toward a genetic analysis of tumor rejection antigens," Adv. Cancer Res. 58:177-210 (1992)					
Nico	AN.	Bretscher and Cohn, "A theory of self-nonself discrimination," Science 169:1042-1049 (1970)					
W	AO.	Brodsky et al., "Antigen processing and presentation," Tissue Antigens 47:464-471 (1996)					
MO	AP.	Brunet et al., "A new member of the immunoglobulin superfamily CTLA-4," Nature 328:267-270 (1987)					
au	AQ.	Carpenito et al., "ICAM-2 provides a costimulatory signal for T cell stimulation by allogeneic class II MHC," Scand. J. Immunol. 45:248-254 (1997)					
WD	AR.	Chang et al., "Heterogeneity in direct cytotoxic function of L3T4 T cells - TH1 clones express higher cytotoxic activity to antigen-presenting cells than TH2 clones," J. Immunol. 145:409-416 (1990)					
RO.	AS.	Chen et al., "Costimulation of antitumor immunity by the B7 counterreceptor for the T lymphocyte molecules CD28 and CTLA-4," Cell 71:1093-1102 (1992)					
110	AT.	Dong et al., "B		iber of the B7 family, co-stim	ulates T-cell proli	feration and inter	leukin-10

On anome

11/15/04

s.É			BEST AVA QABL	E COPY			
	FORM PT	rO-1449	(Modified)	Attorney Docket No.: 015280-415100US	Application No.: 09/810,310		
•							
			NFORMATION DISCLOSURE Jse several sheets if necessary)	Filing Date: March 14, 2001	Group: 1644		
	(611)	AU.	function-associated antigen 3," J. E	2 binding and functional properties of multimeric and monomeric lymphocyte Exp. Med. 169:503-517 (1989)			
•	115 4 4 80T	A A S	Eisenlohr et al., "A transient transf to class I MHC restricted T lympho	transfection system for identifying biosynthesized proteins processed and presented ymphocytes," J. Immunol. Meth. 154:131-138 (1992)			
13		styN.	Elliott et al., "Perspectives on the r Res. 53:181-245 (1989)	tives on the role of MHC antigens in normal and malignant cell development," Adv. Cancer			
	2	AX.	Fearon et al., "Interleukin-2 production by tumor cells bypasses T helper function in the generation of an antitumor response," Cell 60:397-403 (1990)				
	W)	AY.		expression, and T cell costimulatory activity of the murine homologue of the human B			
				ective immunizations by parenteral, mucosal,	and gene-gun inoculations," Proc.		
	2	BA.	Gansbacher et al., "Interleukin 2 ge immunity," J. Exp. Med. 172:1217.	2 gene transfer into tumor cells abrogates tumorigenicity and induces protective			
	20	BB.	Germain, R., "The ins and outs of a	ts of antigen processing and presentation," Nature 322:687-691 (1986)			
	WO	BC.	Gimmi et al., "B-cell surface antige secrete interleukin 2," Proc. Natl. A	rface antigen B7 provides a costimulatory signal that induces T cells to proliferate and Proc. Natl. Acad. Sci. USA 88:6575-6579 (1991)			
	<u>'~</u>	BD.	Gimmi et al., "Human T-cell clonal anergy is induced by antigen presentation in the absence of B7 costimulation," Proc. Natl. Acad. Sci. USA 90:6586-6590 (1993)				
	E	BE.	Golumbek et al., "Treatment of esta Science 254:713-716 (1991)				
	щО	BF.	Greenberg, P. D., "Adoptive T cell therapy of tumors: mechanisms operative in the recognition and elimination of tumor cells," Adv. Immunol. 49:281-355 (1991)				
BG. Harding et al., "CD28-mediated signalling co-stimulates murine T cells and prevents induction clones," Nature 356:607-609 (1992) BH. Hart et al., "Priming of anti-human immunodeficiency virus (HIV) CD8 ⁺ cytotoxic T cells in HIV synthetic peptides," Proc. Natl. Acad. Sci. USA 88:9448-9452 (1991)					vents induction of anergy in T-cell		
			kic T cells in vivo by carrier-free				
	NO	BI.	Harty et al., "CD8 ⁺ T cells specific for a single nonamer epitope of Listeria moncytogenes are protective in vivo," J. Exp. Med. 175:1531-1538 (1992)				
	MO	BJ.	Hellström and Hellström, in <i>The Biologic Therapy of Cancer</i> , pp. 35-52, Devita et al., eds., Philadelphia, J. B. Lippincott Co. (1991)				
BK. Hunt et al., "Peptides presented to the immune syste molecule 1-A ^d ," Science 256:1817-1820 (1992)					jor histocompatibility complex		
	BL. Janeway, C.A., Jr., "Approaching the asymptote? Evolution and revolution in immunology," Cold Spring Symp. Quant. Biol. 54:1-13 (1989)			munology," Cold Spring Harbor			
	WO	ВМ.		pleen cells restore the responsiveness of norm ntigen-presenting cells," J. Immunol. 140:332			
I	MO	BN.	June et al., "Role of the CD28 recep	ptor in T-cell activation," Immunol. Today 11	:211-216 (1990)		
	lio	во.		al Sendai virus infection by <i>in vivo</i> priming of peptide," <i>Proc. Natl. Acad. Sci. USA</i> 88:2283-			
	N	BP.	Kotovuori et al., "ICAM-2 and a pe and integrin affinity," J. Immunol.	eptide from its binding domain are efficient ac 162:6613-6620 (1999)	ctivators of leukocyte adhesion		
	NO	BQ.	Koulova et al., "The CD28 ligand E Exp. Med. 173:759-762 (1991)	37/BB1 provides costimulatory signal for allo	activation of CD4 ⁺ T cells," <i>J</i> .		
Î	CVA						
	BS. Lafferty et al., "Immunobiology of tissue transplantation: a return to the passenger leukocyte concept," Ann. Rev. Immunol. 1:143-173 (1983)				er leukocyte concept," Ann. Rev.		

الاقتاد	AVAILA	E	COPY
---------	--------	---	------

FORM PTO-1449	(Modified)	Attorney Docket No.: 015280-41510005	S Application No.: 09/810,310		
LIST OF PATEN	TS AND PUBLICATIONS FOR	Applicant: Samir Khleif et al.			
APPLICANT'S II STATEMENT (U	NFORMATION DISCLOSURE Ise several sheets if necessary)	Filing Date: March 14, 2001	Group: 1644		
TE A.W.		atoantigen by human T cells," J. Immunol. 147:774-780 (1991)			
ME 1 0 2004 2	257:789-792 (1992)	vival of xenogeneic pancreatic islet grafts i			
P.S	Immunol. 21:851-854 (1991)	dent activation of tumor-specific cytotoxic T lymphocytes in vivo," Eur. J.			
BW.	BW. Linsley et al., "T-cell antigen CD28 mediates adhesion with B cells by interacting with activation antigen B7/BB-1," Proc. Natl. Acad. Sci. USA 87:5031-5035 (1990)				
BX.	BX. Linsley et al., Binding of the B cell activation antigen B7 to CD28 costimulates T cell proliferation and interle				
MO BY.	BY Liu et al., "Heat-stable antigen is a costimulatory molecule for CD4 T cell growth," J. Exp. Med. 175:437-44				
MV) BZ.	McKisic et al., "Cytolytic activit having a BALB/c background,".	y of murine CD4 ⁺ T cell clones correlates v J. Immunol. 150:3793-3805 (1993)	with IFN-γ production in mouse strains		
CA.	CA. Melief, C. J. M., "Tumor eradication of adoptive transfer of cytotoxic T lymphocytes," Adv. Cancer Res. 58:				
UND CB.	 Mueller et al., "Clonal expansion versus functional clonal inactivation: a costimulatory signalling pathway determines the outcome of T cell antigen receptor occupancy," Ann. Rev. Immunol. 7:445-480 (1989) Nabel et al., "Site-specific gene expression in vivo by direct gene transfer into the arterial wall," Science 249:1285-1288 (1990) Nossal, G. J. V., "Immunologic tolerance: collaboration between antigen and lymphokines," Science 245:147-153 (1989) 				
CC.					
CD.					
CE.	Ostrand-Rosenberg et al., "Rejection of mouse sarcoma cells after transfection of MHC class II genes," J. Immunol. 144:4068-4071 (1990)				
NAO CF.	Ozdemirli et al., "The cytotoxic process of CD4 Th1 clones," J. Immunol. 149:1889-1895 (1992)				
MO CG.	Parra et al., "The role of B7-1 an	d LFA-3 in costimulation of CD8 T cells,	" J. Immunol. 158:637-642 (1997)		
СН.	Reiser et al., "Murine B7 antigen provides an efficient costimulatory signal for activation of murine T				
NO CI.	CI. Rock et al., "Analysis of the association of peptides of optimal length to class I molecules on the surface of cells,				
hip CJ.	Rosenberg et al., "A new approach to the adoptive immunotherapy of cancer with tumor-infiltrating lymphocytes, Science 233:1318-1321 (1986)				
NO CK.	Rosenberg et al., "Cancer immunotherapy using interleukin-2 and interleukin-2-activated lymphocytes," Ann. Rev. Immunol. 4:681-709 (1986)				
MO CL.	Rötzschke et al., "Isolation and analysis of naturally processed viral peptides as recognized by cytotoxic T cells," Nature 348:252-254 (1990)				
MO CM.	Rudensky et al., "Sequence analy	ysis of peptides bound to MHC class II mo			
NO CN.	Salomon et al., "Cutting edge: LFA-1 interaction with ICAM-1 and ICAM-2 regulates Th2 cytokine production," J. Immunol. 161:5138-5142 (1998)				
MP CO.	1	specific antigens," Ann. Rev. Immunol. 6:46			
WO CP.	Schulz et al., "Peptide-induced antiviral protection by cytotoxic T cells," Proc. Natl. Acad. Sci. USA 88:991-993 (1991)				
NXO CQ.	•	nologic self-tolerance," Cell 57:1073-1081	and the second s		
MO CR.	Selvakumar et al., "Genomic organization and chromosomal location of the human gene encoding the B-lymphocyte activation antigen B7," Immunogenetics 36:175-181 (1992)				
My Cs.	and integrin supergene families,"	re of ICAM-1 demonstrates interaction between the control of the c			
CT.	Swallow et al., "B7h, a novel cost 432 (1999)	stimulatory homolog of B7.1 and B7.2, is in	nduced by TNFa," Immunity 11:423-		

• •		DEST AVAILALE	COPY		
FORM PTO	-1449		Attorney Docket No.: 015280-415100US	Application No.: 09/810,310	
		IS AND PUBLICATIONS FOR VFORMATION DISCLOSURE	Applicant: Samir Khleif et al.		
		se several sheets if necessary)	Filing Date: March 14, 2001	Group: 1644	
NEE	ÇŲ.	lymphokines/cytokines," Proc. N	on pathway regulates the production of multiple atl. Acad. Sci. USA 86:1333-1337 (1989)		
Townsend et al., "Antigen recognition by class I-restricted T lymphocytes					
AUG 1 9 200	Townsend et al., "Tumor rejection after direct costimulation of CD8 ⁺ T cells by B7-transfected melanoma cells," Science 259:368-370 (1993)				
Turka et al., "T-cell activation by the CD28 ligand B7 is required for cardiac allograft rejection in vivo," Proc Natl. Acad. Sci. USA 89:11102-11105 (1992)					
	CY.	van-Seventer et al., "The LFA-1 mediated activation of resting T	ligand ICAM-1 provides an important costimul cells," J. Immunol. 144:4579-4586 (1990)		
MO C	CZ.	lymphocyte CD2 glycoprotein,"	of lymphocyte function-associated antigen 3 (I J. Exp. Med. 166:923-932 (1987)	<u> </u>	
WO I	DA.	Immunol. 15:235-253 (1995)	pathways: B7, LFA-3, and ICAM-1 shape unic		
MO I	OB.		r into mouse muscle in vivo," Science 247:1465		
DC. Young et al., "The B7/BB1 antigen provides one of several costimulatory signals for the activation of CD4 ⁺ lymphocytes by human blood dendritic cells in vitro," J. Clin. Invest. 90:229-237 (1992)				s for the activation of CD4 ⁺ T 7 (1992)	
		<u> </u>			
100					
				•	
				<i>P</i>	
		<u> </u>		•	
					
		· · · · · · · · · · · · · · · · · · ·			
		<u>, </u>	· · · · · · · · · · · · · · · · · · ·		
			<u> </u>		
EXAMINER		n ·	DATE CONSIDERED	ou	

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.